

SOME NATIONAL HEALTH SERVICE INDICATORS

Year 2013

Indicators	North	Centre	South and the Islands	Italy
General practitioners	19,025	9,521	16,657	45,203
General practitioner rate*	7.0	8.2	8.1	7.6
Patients per general practitioner	1,270	1,099	1,070	1,160
National Health Service paediatricians	3,263	1,523	2,919	7,705
National Health Service paediatricians rate**	8.6	9.6	9.7	9.2
Patients per paediatrician (<14 years)	941	863	846	890
Non-emergency medical on-call services	785	425	1,680	2,890
On-call physicians	3,154	1,950	6,429	11,533
Local Health Authorities	74	27	42	143
Unified booking centres	66	27	42	135

* per 10,000 inhabitants ** per 10,000 children aged 0-14

CURRENT HEALTH EXPENDITURE BY SECTOR

Years 2012-2015, values at current prices (billions of euros)



DRUG CONSUMERS* BY AGE GROUP

Years 2011-2015, thousands of people

	2	2011		013	2015		
Age groups	Absolute values	% population of the same age	Absolute values	% population of the same age	Absolute values	% population of the same age	
Up to 14	1,224	14.5	1,104	13.0	1,165	13.9	
15-34	2,608	19.6	2,437	18.8	2,604	20.3	
35-64	9,774	37.8	10,102	38.6	10,341	39.3	
65 and over	9,600	79.6	10,330	82.2	10,692	82.1	
TOTAL	23,206	38.9	23,974	39.8	24,802	41.0	

* in the two days preceding the interview

GLOSSARY

GENERAL PRACTITIONERS: the contract for general practitioners set a maximum limit of 1,500 patients each.


PUBLIC SECTOR HEALTH EXPENDITURE: the current operations carried out by the public administrations directly using their production facilities or buying goods and services from private institutions to be granted to citizens under specific agreements (including costs for administrative services, interests, taxes and fees, insurance premiums and contributions).

PRIVATE SECTOR HEALTH CARE EXPENDITURE: expenditure incurred by households and/or private insurances for the acquisition of healthcare services of any kind.

ě


INFANT MORTALITY

Years 1931-2013, per 1,000 live births




DEATHS BY SOME CAUSES

Years 1931, 1971 and 2013, per 100,000 inhabitants



HEALTH CONDITIONS AND REPORTED CHRONIC DISEASES

Year 2015, per 100 persons



1 GLOSSARY

INFANT MORTALITY: includes deaths in the first year of age before the first birthday, including those died before the registration of death.

•

PERSONS AGED 11 AND OVER BY CONSUMPTION OF ALCOHOLIC BEVERAGES IN THE YEAR, SEX AND AGE GROUP

FEMALES MALES TOTAL 2015 84.5 84.2 82.1 80.4 77.9 75.7 61.0 60.2 58.1 56.9 52.0 44.7 22.4 15.6 18-24 25-44 45-64 65 and over 2005 2015 11-17

Years 2005 and 2015, per 100 persons aged 11 and over of the same sex and age group


OVERWEIGHT OR OBESE PERSONS AGED 18 AND OVER BY SEX AND AGE GROUP

Years 2001 and 2015, per 100 persons aged 18 and over of the same sex and age group

	18-34		35-54		55-74		75 and over		Total	
	2001	2015	2001	2015	2001	2015	2001	2015	2001	2015
MALES										
Overweight	27.3	27.3	47.4	46.2	52.0	52.0	44.9	50.9	42.6	44.0
Obese	3.6	4.3	9.8	10.9	12.8	15.6	7.9	11.9	8.7	10.8
FEMALES										
Overweight	10.4	13.1	23.9	23.7	39.8	36.4	34.4	38.6	25.9	27.3
Obese	1.9	3.1	7.5	7.2	15.4	13.4	9.6	13.0	8.4	9.0
MALES AND FEMALES										
Overweight	18.8	20.3	35.6	34.8	45.5	43.8	38.3	43.6	33.9	35.3
Obese	2.7	3.7	8.6	9.0	14.2	14.4	9.0	12.6	8.5	9.8

PERSONS AGED 14 AND OVER BY SMOKING HABIT, SEX AND AGE GROUP

Years 2001 and 2015, per 100 persons of the same sex and age group



Italy in figures 2016

17

•