

National Health Service (NHS): includes public hospitals and credited private clinics

Hospitalisation rate: ratio of in-patients to resident population (yearly average), per 1,000

Average length of stay in hospital: ratio of days of stay to in-patients


General practitioners: the new contract for general practitioners set a maximum limit of 1,500 patients each

MEDICAL TECHNOLOGY EQUIPMENT OUTSIDE HOSPITALS IN 2012

Ultrasonography	6.1
Computed tomography scanners	0.8
Magnetic resonance imaging units	0.9
per 100,000 inhabitants	

6 HEALTH


NATIONAL HEALTH SERVICE STAFF BY GEOGRAPHICAL AREA
2012, per 10,000 inhabitants



NATIONAL HEALTH SERVICE INDICATORS
2012

	North	Centre	South and the Islands	Italy
General practitioners	19,355	9,587	16,495	45,437
General practitioner rate*	7.1	8.2	8.0	7.6
Patients per general practitioner	1,250	1,096	1,080	1,156
National Health Service paediatricians	3,264	1,523	2,869	7,656
National Health Service paediatrician rate**	8.7	9.8	9.5	9.2
Patients per paediatrician (under 14)	935	858	825	879
Non-emergency medical on-call services	798	423	1,672	2,893
On-call physicians	3,203	1,908	6,916	12,027
Local Health Authorities	74	29	42	145
Unified booking centres	66	29	41	136

* per 10,000 inhabitants ** per 10,000 children aged 0-14 anni




CURRENT HEALTH EXPENDITURE BY SECTOR

2011-2014, billions of euros at current prices

ACTUAL HOUSEHOLD EXPENDITURE FOR HEALTHCARE GOODS AND SERVICES IN 2014

Hospitalisations	113
Check-ups	68
Dentist	475
Auxiliary health services	247
Diagnostic tests	95
Glasses/contact lenses	178
Health aids	111
Drugs	71
Health care articles	26
euro	


INFANT MORTALITY PER 1,000 LIVE BIRTHS



Infant mortality: includes deaths in the first year of age before the first birthday, including those died before the registration of birth

DEATHS BY SOME CAUSES

1931, 1971 and 2012, per 100,000 inhabitants



DRUG CONSUMERS* BY AGE GROUP**


1993-2014, thousands of people

	1993	1998	2008	2010	2012	2014
Up to 14	1,524	1,396	1,487	1,424	1,252	1,114
15-34	2,753	2,626	2,873	2,728	2,449	2,475
35-64	7,317	7,686	9,825	9,986	10,110	10,500
65 and over	5,986	6,933	9,377	9,477	9,830	10,596
Total	17,580	18,643	23,563	23,614	23,641	24,686

* in the two days preceding the interview ** any possible differences in totals are due to the rounding of the absolute values

HEALTH CONDITIONS AND REPORTED CHRONIC DISEASES


2014, per 100 persons



Induced abortions: there has been a sharp reduction since Law n. 194/78 made induced abortions legal in Italy. 1982 and 1983 were the peak years, with a number of interventions exceeding 230,000 per year and an abortion rate of 16.7 and 16.4 respectively per 1,000 resident women aged 15 to 49. From that moment on, the number of induced abortions and the abortion rate progressively reduced to less than 8 per 1,000

Body Mass Index (BMI): determined by dividing the body weight in kilograms by the squared height in meters. A BMI under 18.5 is considered underweight, one of 18.5-24.99 is considered a healthy weight, one of 25-29.99 is overweight and one of 30 or more is obese


SMOKERS AGED 14 AND OVER BY NUMBER OF DAILY CIGARETTES SMOKED IN 2014



8 HEALTH

PERSONS BY BODY MASS INDEX

2014, per 100 persons aged 18 and over



PERSONS AGED 3 AND OVER WHO HAVE SEEN A DENTIST OR ORTHODONTIST BY AGE GROUP

Years 2005 and 2013, per 100 persons of the same age group

	Visits to a dentist in the last 12 months		Health service dentist		Private dentist	
	2005	2013	2005	2013	2005	2013
3-5	16.6	14.3	2.4	2.4	14.2	11.9
6-14	48.9	46.9	7.1	8.5	41.8	38.4
15-24	44.8	42.1	7.8	8.7	37.0	33.5
25-34	43.9	41.6	5.4	6.6	38.6	35.0
35-44	44.0	42.2	4.0	6.0	40.0	36.2
45-54	43.2	43.1	4.3	5.0	39.0	38.1
55-64	40.0	38.3	4.3	3.9	35.7	34.5
65-74	32.0	31.0	4.4	3.8	27.5	27.2
75 and over	20.1	19.6	3.7	2.7	16.4	16.9
Total	39.7	37.7	4.9	5.4	34.7	32.3

INDUCED ABORTIONS

1980-2012, per 1,000 resident women aged 15-49

